Neuroscience Letters, 175 (1994) 178–180
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Ahlgren, S.C., see Gold, M.S., 166
Albala, N., see Mailleux, P., 25
Andersson, K., see Loidl, C.F., 9
Angelopoulos, E., see Koutsoukos, E., 85
Arita, H., Oshima, T., Kita, I. and Sakamoto, M., Generation of hiccup by electrical stimulation in medulla of cats, 67
Avanzini, G., see Guatteo, E., 117

Bacci, A., see Guatteo, E., 117
Bahr, B.A., Lam, N. and Lynch, G., Changes in the concentrations of tau and other structural proteins in the brains of aged mice, 49
Bai, D. and Sattelle, D.B., Muscarinic acetylcholine receptors on an identified motor neurone in the cockroach, *Periplaneta americana*, 161
Beauvillain, J.C., see Vandenbulcke, F., 53
Beitz, A.J., see Dohrn, C.S., 28
Bjelke, B., see Loidl, C.F., 9
Blázquez, P., see Gruart, A., 81
Boehm, F.H., Liem, L.K., Stanton, P.K., Potter, P.E. and Moskal, J.R., Phenytoin protects against hypoxia-induced death of cultured hippocampal neurons, 171
Bradt, B., see Schultz, J., 99

Chan, J.Y.H., see Tsou, M.-Y., 137
Chan, S.H.H., see Tsou, M.-Y., 137
Chang, A.Y.W., see Tsou, M.-Y., 137
Chen, Y., see Loidl, C.F., 9
Ciofi, P., see Vandenbulcke, F., 53
Cooper, N., see Schultz, J., 99
Cui, Y., Lee, T. and Wang, L.C.H., Species difference in the modulatory effect of κ agonist on 5-HT release from ground squirrel and rat hippocampus, 126

Dai, X.Y., Nanko, S., Hattori, M., Fukuda, R., Nagata, K., Isse, K., Ueki, A. and Kazamatsuri, H., Association of apolipoprotein E4 with sporadic Alzheimer's disease is more pronounced in early onset type, 74
Danober, L., see Simler, S., 58
Daval, J.-L. and Nicolas, F., Opposite effects of cyclohexyladenosine and theophylline on hypoxic damage in cultured neurons, 114
De Backer, J.-P., see Flamez, A., 17
De Keyser, J., see Flamez, A., 17
Del Río, J., see Pérez-Otaño, I., 121
Delgado-García, J.M., see Gruart, A., 81
Dohrn, C.S. and Beitz, A.J., NMDA receptor mRNA expression in NOS-containing neurons in the spinal trigeminal nucleus of the rat, 28
Donaldson, L.F., McQueen, D.S. and Seckl, J.R., Local anaesthesia prevents acute inflammatory changes in neuropeptide messenger RNA expression in rat dorsal root ganglia neurons, 111

El-Fakahany, E.E., see Hu, J., 41

Flamez, A., De Backer, J.-P., Wilczak, N., Vauquelin, G. and De Keyser, J., [^{3}H]Clozapine is not a suitable radioligand for the labelling of D_4 dopamine receptors in postmortem human brain, 17
Fone, K.C.F., see Scott, M.A., 5
Franceschetti, S., see Guatteo, E., 117
Fukuda, R., see Dai, X.Y., 74

Ghersi-Egea, J.-F., see Leininger-Muller, B., 37
Goiny, M., see Loidl, C.F., 9
Gold, M.S., White, D.M., Ahlgren, S.C., Guo, M. and Levine, J.D., Catecholamine-induced mechanical sensitization of cutaneous nociceptors in the rat, 166
Gruart, A., Blázquez, P. and Delgado-García, J.M., Kinematic analyses of classically-conditioned eyelid movements in the cat suggest a brain stem site for motor learning, 81
Guatteo, E., Bacci, A., Franceschetti, S., Avanzini, G. and Wanke, E., Neurons dissociated from neocortex fire with 'burst' and 'regular' trains of spikes, 117
Guo, M., see Gold, M.S., 166

Hasegawa, H., see Tohda, M., 89
Hattori, M., see Dai, X.Y., 74
Henneberg, N. and Hoyer, S., Short-term or long-term intracerebroventricular (i.c.v.) infusion of insulin exhibits a discrete anabolic effect on cerebral energy metabolism in the rat, 153
Herrera-Marschitz, M., see Loidl, C.F., 9
Herrero, M.T., see Pérez-Otaño, I., 121
Hibino, H., see Shimizu, K., 157
Hirsch, E., see Simler, S., 58
Horie, H., see Takano, M., 129
Hoyer, S., see Henneberg, N., 153
Hu, J., Mahmoud, M.I. and El-Fakahany, E.E., Polyamines inhibit nitric oxide synthase in rat cerebellum, 41
Hyman, B.T., see West, H.L., 46

Ikeda, S., see Tokuda, T., 33
Inoue, A., Ueda, H., Nakata, Y. and Misu, Y., Supersensitivity of quinpirole-evoked GTPase activation without changes in gene expression of D_2 and G_i protein in the striatum of hemi-dopaminergic lesioned rats, 107
Isse, K., see Dai, X.Y., 74

Kametani, F., see Tokuda, T., 33
Kasai, H., see Miyachi, Y., 92
Kawamura, K. and Takebayashi, S., The development of noradrenaline-, acetylcholinesterase-, neuropeptide Y- and vasoactive intestinal polypeptide-containing nerves in human cerebral arteries, 1
Kazamatsuri, H., see Dai, X.Y., 74
Kevetter, G.A. and Perachio, A.A., Cytochrome oxidase histochemistry in Scarpa's ganglion after hemilabyrinthectomy, 141
Kihara, S., Shiraishi, T., Nakagawa, S., Toda, K. and Tabuchi, K., Visualization of DNA double strand breaks in the gerbil hippocampal CA1 following transient ischemia, 133
Kita, I., see Arita, H., 67
Kiyohara, T., see Miyata, S., 63
Kobayashi, Y., Newly observed pre-cerebellar neurons in the rat are homologous to neurons in the nucleus conterminalis in man, 77
Koda, H., see Kumazawa, T., 71
Komenami, N., see Shimizu, K., 157
Koutsoukos, E., Angelopoulos, E., Maillis, A. and Stefanis, C., Dimensionality alterations of the hippocampal electroencephalographic activity following the induction of long-term potentiation in rats, 85
Kumazawa, T., Mizumura, K. and Koda, H., Possible involvement of

the EP_2 receptor subtype in PGE_2-induced enhancement of the heat response of nociceptors, 71

Lam, N., see Bahr, B.A., 49
Lasley, S.M. and Yan, Q., Diminished potassium-stimulated GABA release in vivo in genetically epilepsy-prone rats, 145
Lee, T., see Cui, Y., 126
Lee, T.-Y., see Tsou, M.-Y., 137
Leininger-Muller, B., Ghersi-Egea, J.-F., Siest, G. and Minn, A., Induction and immunological characterization of the uridine diphosphate-glucuronosyltransferase conjugating 1-naphthol in the rat choroid plexus, 37
Len, W.-B., see Tsou, M.-Y., 137
Levine, J.D., see Gold, M.S., 166
Liem, L.K., see Boehm, F.H., 171
Loidl, C.F., Herrera-Marschitz, M., Andersson, K., You, Z.-B., Goiny, M., O'Connor, W.T., Silveira, R., Rawal, R., Bjelke, B., Chen, Y. and Ungerstedt, U., Long-term effects of perinatal asphyxia on basal ganglia neurotransmitter systems studied with microdialysis in rat, 9
Luquin, M.R., see Pérez-Otaño, I., 121
Lynch, G., see Bahr, B.A., 49

Mahmoud, M.I., see Hu, J., 41
Mailleux, P., Preud'homme, X., Albala, N., Vanderwinden, J.-M. and Vanderhaeghen, J.-J., Δ-9-Tetrahydrocannabinol regulates gene expression of the growth factor pleiotrophin in the forebrain, 25
Maillis, A., see Koutsoukos, E., 85
Maki, B.E., see McIlroy, W.E., 13
Marescaux, C., see Simler, S., 58
May, P., see Schultz, J., 99
McIlroy, W.E. and Maki, B.E., The 'deceleration response' to transient perturbation of upright stance, 13
McKinley, M., see Schultz, J., 99
McQueen, D.S., see Donaldson, L.F., 111
Minn, A., see Leininger-Muller, B., 37
Misu, Y., see Inoue, A., 107
Miyachi, Y., Kasai, H., Ohyama, H. and Yamada, T., Changes of aggressive behavior and brain serotonin turnover after very low-dose X-irradiation of mice, 92
Miyata, S., Nakashima, T. and Kiyohara, T., Expression of c-*fos* immunoreactivity in the hypothalamic magnocellular neurons during chronic osmotic stimulations, 63
Mizumura, K., see Kumazawa, T., 71
Moskal, J.R., see Boehm, F.H., 171
Motte, J., see Simler, S., 58
Müller, W., see Rammes, G., 21
Murayama, T., see Tohda, M., 89
Murthy, C., see Rao, K.V.R., 103

Nagai, K., see Shimizu, K., 157
Nagai, N., see Shimizu, K., 157
Nagata, K., see Dai, X.Y., 74
Nakagawa, H., see Shimizu, K., 157
Nakagawa, S., see Kihara, S., 133
Nakashima, T., see Miyata, S., 63
Nakata, Y., see Inoue, A., 107
Nanko, S., see Dai, X.Y., 74
Nicolas, F., see Daval, J.-L., 114
Nogiri, S., see Tohda, M., 89
Nomura, Y., see Tohda, M., 89

O'Connor, W.T., see Loidl, C.F., 9
Obeso, J.A., see Pérez-Otaño, I., 121
Ohyama, H., see Miyachi, Y., 92
Oset, C., see Pérez-Otaño, I., 121
Oshima, T., see Arita, H., 67

Parsons, C., see Rammes, G., 21
Perachio, A.A., see Kevetter, G.A., 141
Pérez-Otaño, I., Oset, C., Luquin, M.R., Herrero, M.T., Obeso, J.A. and Del Río, J., MPTP-induced parkinsonism in primates: pattern of striatal dopamine loss following acute and chronic administration, 121
Potter, P.E., see Boehm, F.H., 171
Preud'homme, X., see Mailleux, P., 25

Rammes, G., Parsons, C., Müller, W. and Swandulla, D., Modulation of fast excitatory synaptic transmission by cyclothiazide and GYKI 52466 in the rat hippocampus, 21
Rao, K.V.R. and Murthy, C., Synaptosomal high affinity transport systems for essential amino acids in rat brain cortex, 103
Rawal, R., see Loidl, C.F., 9
Rebeck, G.W., see West, H.L., 46
Rogers, J., see Schultz, J., 99

Sakamoto, M., see Arita, H., 67
Sato, A., Uchida, S. and Yamauchi, Y., A new method for continuous measurement of regional cerebral blood flow using laser Doppler flowmetry in a conscious rat, 149
Sattelle, D.B., see Bai, D., 161
Schaller, J., see Schultz, J., 99
Schultz, J., Schaller, J., McKinley, M., Bradt, B., Cooper, N., May, P. and Rogers, J., Enhanced cytotoxicity of amyloid β-peptide by a complement dependent mechanism, 99
Scott, M.A. and Fone, K.C.F., Modulation of calcitonin gene-related peptide release from dorsal thoraco-lumbar spinal cord slices by 5-HT_3 receptors, 5
Seckl, J.R., see Donaldson, L.F., 111
Shimizu, K., Hibino, H., Komenami, N., Nagai, N., Nagai, K. and Nakagawa, H., Permissive effect of VIP on the hyperglycemic response induced by 2-deoxy-D-glucose, 157
Shiraishi, T., see Kihara, S., 133
Siest, G., see Leininger-Muller, B., 37
Silveira, R., see Loidl, C.F., 9
Simler, S., Hirsch, E., Danober, L., Motte, J., Vergnes, M. and Marescaux, C., C-fos expression after single and kindled audiogenic seizures in Wistar rats, 58
Stanton, P.K., see Boehm, F.H., 171
Stefanis, C., see Koutsoukos, E., 85
Swandulla, D., see Rammes, G., 21

Tabuchi, K., see Kihara, S., 133
Takano, M. and Horie, H., Critical period for degradation of adult rat retinal ganglion cells and their regeneration capability after axotomy, 129
Takebayashi, S., see Kawamura, K., 1
Tanaka, K., see Tokuda, T., 33
Toda, K., see Kihara, S., 133
Tohda, M., Murayama, T., Hasegawa, H., Nogiri, S. and Nomura, Y., [^{3}H]Rolipram binding and phosphodiesterase activity in neuroblastoma N18TG-2 and glioma C6Bu-1, 89
Tokuda, T., Tanaka, K., Kametani, F., Ikeda, S. and Yanagisawa, N., Secretory form of β-amyloid precursor protein is much abundantly contained in the cerebral white matter in human brain, 33

Tsou, M.-Y., Len, W.-B., Chang, A.Y.W., Chan, J.Y.H., Lee, T.-Y. and Chan, S.H.H., Characterization and application of microdialysis probes with an active exchange length compatible with small-size brain nuclei in the rat, 137

Uchida, S., see Sato, A., 149
Ueda, H., see Inoue, A., 107
Ueki, A., see Dai, X.Y., 74
Ungerstedt, U., see Loidl, C.F., 9

Vandenbulcke, F., Ciofi, P. and Beauvillain, J.C., Concomitant variation in immunoreactivity for enkephalins and neutral endopeptidase in the median eminence of the lactating rat, 53
Vanderhaeghen, J.-J., see Mailleux, P., 25
Vanderwinden, J.-M., see Mailleux, P., 25
Vauquelin, G., see Flamez, A., 17
Vergnes, M., see Simler, S., 58

Wang, H.-L., see Wu, T., 95
Wang, L.C.H., see Cui, Y., 126
Wanke, E., see Guatteo, E., 117
West, H.L., Rebeck, G.W. and Hyman, B.T., Frequency of the apolipoprotein E $\varepsilon 2$ allele is diminished in sporadic Alzheimer disease, 46
White, D.M., see Gold, M.S., 166
Wilczak, N., see Flamez, A., 17
Wu, T. and Wang, H.-L., CCK-8-evoked cationic currents in substantia nigra dopaminergic neurons are mediated by $InsP_3$-induced Ca^{2+} release, 95

Yamada, T., see Miyachi, Y., 92
Yamauchi, Y., see Sato, A., 149
Yan, Q., see Lasley, S.M., 145
Yanagisawa, N., see Tokuda, T., 33
You, Z.-B., see Loidl, C.F., 9